




REDUCING TEE

Prime's Molded Electrofusion HDPE Reducing Tee: Reliable Performance, Seamless Integration

Prime's Molded Electrofusion HDPE Reducing Tee is engineered to deliver unmatched reliability and efficiency in fluid and gas distribution systems. Crafted from premium-grade HDPE, this reducing tee combines durability, chemical resistance, and consistent performance in demanding environments. Its molded design ensures uniform wall thickness and structural integrity, while the electrofusion joining process guarantees leak-proof, long-lasting connections with minimal installation effort. Ideal for water, gas, and industrial applications, this product meets stringent international standards such as ISO 4427 and ASTM D3035. Trust Prime for innovative, high-quality HDPE solutions that ensure smooth, trouble-free operations.



SDR 11

Code	Dn	Dn1	L	A	B
HP-16PN-EF-TER-25X20	25	20	105	45	50
HP-16PN-EF-TER-32X20	32	20	120	45	50
HP-16PN-EF-TER-32X25	32	25	120	45	50
HP-16PN-EF-TER-40X25	40	25	125	45	55
HP-16PN-EF-TER-40X32	40	32	125	45	55
HP-16PN-EF-TER-50X25	50	25	145	50	50
HP-16PN-EF-TER-50X32	50	32	144	50	55
HP-16PN-EF-TER-50X40	50	40	145	55	55
HP-16PN-EF-TER-63X25	63	25	130	55	55
HP-16PN-EF-TER-63X32	63	32	136	50	55
HP-16PN-EF-TER-63X40	63	40	143	50	55
HP-16PN-EF-TER-63X50	63	50	164	55	55
HP-16PN-EF-TER-75X32	75	32	195	70	70
HP-16PN-EF-TER-75X40	75	40	195	70	70

SDR 11					
Code	Dn	Dn1	L	A	B
HP-16PN-EF-TER-75X63	75	63	195	70	65
HP-16PN-EF-TER-90X32	90	32	210	70	80
HP-16PN-EF-TER-90X40	90	40	210	70	80
HP-16PN-EF-TER-90X50	90	50	210	70	80
HP-16PN-EF-TER-90X63	90	63	210	70	80
HP-16PN-EF-TER-90X75	90	75	210	70	75
HP-16PN-EF-TER-110X32	110	32	240	75	80
HP-16PN-EF-TER-110X40	110	40	240	75	80
HP-16PN-EF-TER-110X50	110	50	240	75	80
HP-16PN-EF-TER-110X63	110	63	240	75	80
HP-16PN-EF-TER-110X75	110	75	240	75	80
HP-16PN-EF-TER-110X90	110	90	240	75	80
HP-16PN-EF-TER-125X63	125	63	255	80	85
HP-16PN-EF-TER-125X90	125	90	255	80	85
HP-16PN-EF-TER-1225X110	125	110	255	80	85
HP-16PN-EF-TER-160X63	160	63	305	90	90
HP-16PN-EF-TER-160X90	160	90	305	90	90
HP-16PN-EF-TER-160X110	160	110	305	90	90
HP-16PN-EF-TER-160X125	160	125	305	90	80
HP-16PN-EF-TER-200X63	200	63	355	100	75
HP-16PN-EF-TER-200X90	200	90	355	100	75
HP-16PN-EF-TER-200X110	200	110	355	100	75
HP-16PN-EF-TER-200X160	200	160	355	100	90
HP-16PN-EF-TER-225X160	225	160	415	100	89
HP-16PN-EF-TER-250X90	250	90	405	100	95
HP-16PN-EF-TER-250X110	250	110	405	100	95
HP-16PN-EF-TER-250X160	250	160	405	100	110

SDR 11

Code	Dn	Dn1	L	A	B
HP-16PN-EF-TER-250X200	250	200	405	100	110
HP-16PN-EF-TER-315X110	315	110	520	125	95
HP-16PN-EF-TER-315X160	315	160	520	125	110
HP-16PN-EF-TER-315X200	315	200	520	125	110
HP-16PN-EF-TER-315X250	315	250	520	125	110
HP-16PN-EF-TER-400X110	400	110	600	125	115
HP-16PN-EF-TER-400X160	400	160	600	125	115
HP-16PN-EF-TER-400X200	400	200	600	125	115
HP-16PN-EF-TER-400X250	400	250	600	125	115
HP-16PN-EF-TER-400X315	400	315	600	125	115
HP-16PN-EF-TER-450X110	450	110	703	156	175
HP-16PN-EF-TER-500X110	500	110	725	151	85
HP-16PN-EF-TER-560X110	560	200	803	168	100
HP-16PN-EF-TER-560X500	560	400	803	168	100
HP-16PN-EF-TER-630X110	630	110	705	185	110
HP-16PN-EF-TER-630X500	630	500	705	185	110

