




Reducer Concentric (Long)

The HDPE Reducer Machined by **PRIME** is manufactured to the latest and highest standards using high-quality HDPE rod pipes, ensuring a precise and reliable transition between different pipe sizes. Designed for water supply, irrigation, and firefighting networks, it provides a secure, leak-proof connection with excellent durability and long-term performance for various pipeline applications.



SDR 17

Code	De1/De2	L	L1	l2
HP-10PN-FR-REL-63/32	63/32	150	69	50
HP-10PN-FR-REL-63/40	63/40	152	69	55
HP-10PN-FR-REL-63/50	63/50	151	69	60
HP-10PN-FR-REL-75/50	75/50	148	64	58
HP-10PN-FR-REL-75/63	75/63	149	65	59
HP-10PN-FR-REL-90/50	90/50	142	64	49
HP-10PN-FR-REL-90/63	90/63	144	69	55
HP-10PN-FR-REL-90/75	90/75	163	76	61
HP-10PN-FR-REL-110/63	110/63	174	85	63
HP-10PN-FR-REL-110/75	110/75	180	85	57
HP-10PN-FR-REL-110/90	110/90	179	99	93
HP-10PN-FR-REL-125/63	125/63	187	87	61
HP-10PN-FR-REL-125/75	125/75	205	105	76
HP-10PN-FR-REL-125/90	125/90	216	99	86

SDR 17				
Code	De1/De2	L	L1	I2
HP-10PN-FR-REL-125/110	125/110	200	90	82
HP-10PN-FR-REL-140/75	140/75	230	112	70
HP-10PN-FR-REL-140/90	140/90	230	112	79
HP-10PN-FR-REL-140/110	140/110	230	112	82
HP-10PN-FR-REL-140/125	140/125	211	96	90
HP-10PN-FR-REL-160/90	160/90	217	102	74
HP-10PN-FR-REL-160/110	160/110	223	104	84
HP-10PN-FR-REL-160/125	160/125	231	98	92
HP-10PN-FR-REL-160/140	160/140	217	110	95
HP-10PN-FR-REL-180/90	180/90	237	105	79
HP-10PN-FR-REL-180/110	180/110	270	120	92
HP-10PN-FR-REL-180/125	180/125	278	116	103
HP-10PN-FR-REL-180/160	180/160	277	115	114
HP-10PN-FR-REL-200/125	200/125	283	123	103
HP-10PN-FR-REL-200/140	200/140	275	120	110
HP-10PN-FR-REL-200/160	200/160	252	105	100
HP-10PN-FR-REL-200/180	200/180	272	120	115
HP-10PN-FR-REL-225/110	225/110	312	130	94
HP-10PN-FR-REL-225/140	225/140	295	130	110
HP-10PN-FR-REL-225/160	225/160	312	130	109
HP-10PN-FR-REL-225/180	225/180	310	130	111
HP-10PN-FR-REL-225/200	225/200	272	124	115
HP-10PN-FR-REL-250/160	250/160	339	138	111
HP-10PN-FR-REL-250/180	250/180	338	137	123
HP-10PN-FR-REL-250/200	250/200	337	137	127
HP-10PN-FR-REL-250/225	250/225	337	137	137
HP-10PN-FR-REL-280/180	280/180	350	146	119

SDR 17				
Code	De1/De2	L	L1	I2
HP-10PN-FR-REL-280/200	280/200	350	146	124
HP-10PN-FR-REL-280/225	280/225	350	146	129
HP-10PN-FR-REL-280/250	280/250	350	146	134
HP-10PN-FR-REL-315/200	315/200	380	180	134
HP-10PN-FR-REL-315/225	315/225	380	157	133
HP-10PN-FR-REL-315/250	315/250	380	157	138
HP-10PN-FR-REL-315/280	315/280	380	157	148
HP-10PN-FR-REL-355/250	355/250	415	172	143
HP-10PN-FR-REL-355/280	355/280	415	172	148
HP-10PN-FR-REL-355/315	355/315	415	172	158
HP-10PN-FR-REL-400/280	400/280	450	187	153
HP-10PN-FR-REL-400/315	400/315	450	187	158
HP-10PN-FR-REL-400/355	400/355	450	187	168
HP-10PN-FR-REL-450/225	450/225	380	100	100
HP-10PN-FR-REL-450/250	450/250	380	100	100
HP-10PN-FR-REL-450/280	450/280	380	100	100
HP-10PN-FR-REL-450/315	450/315	350	100	100
HP-10PN-FR-REL-450/400	450/400	350	100	100
HP-10PN-FR-REL-500/355	500/355	350	100	100
HP-10PN-FR-REL-500/400	500/400	350	100	100
HP-10PN-FR-REL-500/450	500/450	350	100	100
HP-10PN-FR-REL-560/355	560/355	380	100	100
HP-10PN-FR-REL-560/400	560/400	380	100	100
HP-10PN-FR-REL-560/450	560/450	350	100	100
HP-10PN-FR-REL-560/500	560/500	350	100	100
HP-10PN-FR-REL-630/355	630/355	380	100	100
HP-10PN-FR-REL-630/400	630/400	380	100	100

SDR 17

Code	De1/De2	L	L1	I2
HP-10PN-FR-REL-630/450	630/450	350	100	100
HP-10PN-FR-REL-630/500	630/500	350	100	100
HP-10PN-FR-REL-630/560	630/560	350	100	100



SDR 11

Code	De1/De2	L	L1	I2
HP-16PN-FR-REL-63/32	63/32	150	69	50
HP-16PN-FR-REL-63/40	63/40	152	69	55
HP-16PN-FR-REL-63/50	63/50	151	69	60
HP-16PN-FR-REL-75/50	75/50	148	64	58
HP-16PN-FR-REL-75/63	75/63	149	65	59
HP-16PN-FR-REL-90/50	90/50	142	64	49
HP-16PN-FR-REL-90/63	90/63	144	69	55
HP-16PN-FR-REL-90/75	90/75	163	76	61
HP-16PN-FR-REL-110/63	110/63	174	85	63
HP-16PN-FR-REL-110/75	110/75	180	85	57
HP-16PN-FR-REL-110/90	110/90	179	99	93
HP-16PN-FR-REL-125/63	125/63	187	87	61
HP-16PN-FR-REL-125/75	125/75	205	105	76
HP-16PN-FR-REL-125/90	125/90	216	99	86
HP-16PN-FR-REL-125/110	125/110	200	90	82
HP-16PN-FR-REL-140/75	140/75	230	112	70
HP-16PN-FR-REL-140/90	140/90	230	112	79

SDR 11				
Code	De1/De2	L	L1	I2
HP-16PN-FR-REL-140/110	140/110	230	112	82
HP-16PN-FR-REL-140/125	140/125	211	96	90
HP-16PN-FR-REL-160/90	160/90	217	102	74
HP-16PN-FR-REL-160/110	160/110	223	104	84
HP-16PN-FR-REL-160/125	160/125	231	98	92
HP-16PN-FR-REL-160/140	160/140	217	110	95
HP-16PN-FR-REL-180/90	180/90	237	105	79
HP-16PN-FR-REL-180/110	180/110	270	120	92
HP-16PN-FR-REL-180/125	180/125	278	116	103
HP-16PN-FR-REL-180/160	180/160	277	115	114
HP-16PN-FR-REL-200/125	200/125	283	123	103
HP-16PN-FR-REL-200/140	200/140	275	120	110
HP-16PN-FR-REL-200/160	200/160	252	105	100
HP-16PN-FR-REL-200/180	200/180	272	120	115
HP-16PN-FR-REL-225/110	225/110	312	130	94
HP-16PN-FR-REL-225/140	225/140	295	130	110
HP-16PN-FR-REL-225/160	225/160	312	130	109
HP-16PN-FR-REL-225/180	225/180	310	130	111
HP-16PN-FR-REL-225/200	225/200	272	124	115
HP-16PN-FR-REL-250/160	250/160	339	138	111
HP-16PN-FR-REL-250/180	250/180	338	137	123
HP-16PN-FR-REL-250/200	250/200	337	137	127
HP-16PN-FR-REL-250/225	250/225	337	137	137
HP-16PN-FR-REL-280/180	280/180	350	146	119
HP-16PN-FR-REL-280/200	280/200	350	146	124
HP-16PN-FR-REL-280/225	280/225	350	146	129
HP-16PN-FR-REL-280/250	280/250	350	146	134

SDR 11				
Code	De1/De2	L	L1	I2
HP-16PN-FR-REL-315/200	315/200	380	180	134
HP-16PN-FR-REL-315/225	315/225	380	157	133
HP-16PN-FR-REL-315/250	315/250	380	157	138
HP-16PN-FR-REL-315/280	315/280	380	157	148
HP-16PN-FR-REL-355/250	355/250	415	172	143
HP-16PN-FR-REL-355/280	355/280	415	172	148
HP-16PN-FR-REL-355/315	355/315	415	172	158
HP-16PN-FR-REL-400/280	400/280	450	187	153
HP-16PN-FR-REL-400/315	400/315	450	187	158
HP-16PN-FR-REL-400/355	400/355	450	187	168
HP-16PN-FR-REL-450/225	450/225	380	100	100
HP-16PN-FR-REL-450/250	450/250	380	100	100
HP-16PN-FR-REL-450/280	450/280	380	100	100
HP-16PN-FR-REL-450/315	450/315	350	100	100
HP-16PN-FR-REL-450/400	450/400	350	100	100
HP-16PN-FR-REL-500/355	500/355	350	100	100
HP-16PN-FR-REL-500/400	500/400	350	100	100
HP-16PN-FR-REL-500/450	500/450	350	100	100
HP-16PN-FR-REL-560/355	560/355	380	100	100
HP-16PN-FR-REL-560/400	560/400	380	100	100
HP-16PN-FR-REL-560/450	560/450	350	100	100
HP-16PN-FR-REL-560/500	560/500	350	100	100
HP-16PN-FR-REL-630/355	630/355	380	100	100
HP-16PN-FR-REL-630/400	630/400	380	100	100
HP-16PN-FR-REL-630/450	630/450	350	100	100
HP-16PN-FR-REL-630/500	630/500	350	100	100
HP-16PN-FR-REL-630/560	630/560	350	100	100

SDR 9				
Code	De1/De2	L	L1	I2
HP-20PN-FR-REL-63/32	63/32	150	69	50
HP-20PN-FR-REL-63/40	63/40	152	69	55
HP-20PN-FR-REL-63/50	63/50	151	69	60
HP-20PN-FR-REL-75/50	75/50	148	64	58
HP-20PN-FR-REL-75/63	75/63	149	65	59
HP-20PN-FR-REL-90/50	90/50	142	64	49
HP-20PN-FR-REL-90/63	90/63	144	69	55
HP-20PN-FR-REL-90/75	90/75	163	76	61
HP-20PN-FR-REL-110/63	110/63	174	85	63
HP-20PN-FR-REL-110/75	110/75	180	85	57
HP-20PN-FR-REL-110/90	110/90	179	99	93
HP-20PN-FR-REL-125/63	125/63	187	87	61
HP-20PN-FR-REL-125/75	125/75	205	105	76
HP-20PN-FR-REL-125/90	125/90	216	99	86
HP-20PN-FR-REL-125/110	125/110	200	90	82
HP-20PN-FR-REL-140/75	140/75	230	112	70
HP-20PN-FR-REL-140/90	140/90	230	112	79
HP-20PN-FR-REL-140/110	140/110	230	112	82
HP-20PN-FR-REL-140/125	140/125	211	96	90
HP-20PN-FR-REL-160/90	160/90	217	102	74
HP-20PN-FR-REL-160/110	160/110	223	104	84
HP-20PN-FR-REL-160/125	160/125	231	98	92
HP-20PN-FR-REL-160/140	160/140	217	110	95
HP-20PN-FR-REL-180/90	180/90	237	105	79
HP-20PN-FR-REL-180/110	180/110	270	120	92
HP-20PN-FR-REL-180/125	180/125	278	116	103
HP-20PN-FR-REL-180/160	180/160	277	115	114

SDR 9				
Code	De1/De2	L	L1	I2
HP-20PN-FR-REL-200/125	200/125	283	123	103
HP-20PN-FR-REL-200/140	200/140	275	120	110
HP-20PN-FR-REL-200/160	200/160	252	105	100
HP-20PN-FR-REL-200/180	200/180	272	120	115
HP-20PN-FR-REL-225/110	225/110	312	130	94
HP-20PN-FR-REL-225/140	225/140	295	130	110
HP-20PN-FR-REL-225/160	225/160	312	130	109
HP-20PN-FR-REL-225/180	225/180	310	130	111
HP-20PN-FR-REL-225/200	225/200	272	124	115
HP-20PN-FR-REL-250/160	250/160	339	138	111
HP-20PN-FR-REL-250/180	250/180	338	137	123
HP-20PN-FR-REL-250/200	250/200	337	137	127
HP-20PN-FR-REL-250/225	250/225	337	137	137
HP-20PN-FR-REL-280/180	280/180	350	146	119
HP-20PN-FR-REL-280/200	280/200	350	146	124
HP-20PN-FR-REL-280/225	280/225	350	146	129
HP-20PN-FR-REL-280/250	280/250	350	146	134
HP-20PN-FR-REL-315/200	315/200	380	180	134
HP-20PN-FR-REL-315/225	315/225	380	157	133
HP-20PN-FR-REL-315/250	315/250	380	157	138
HP-20PN-FR-REL-315/280	315/280	380	157	148
HP-20PN-FR-REL-355/250	355/250	415	172	143
HP-20PN-FR-REL-355/280	355/280	415	172	148
HP-20PN-FR-REL-355/315	355/315	415	172	158
HP-20PN-FR-REL-400/280	400/280	450	187	153
HP-20PN-FR-REL-400/315	400/315	450	187	158
HP-20PN-FR-REL-400/355	400/355	450	187	168

SDR 9

Code	De1/De2	L	L1	I2
HP-20PN-FR-REL-450/225	450/225	380	100	100
HP-20PN-FR-REL-450/250	450/250	380	100	100
HP-20PN-FR-REL-450/280	450/280	380	100	100
HP-20PN-FR-REL-450/315	450/315	350	100	100
HP-20PN-FR-REL-450/400	450/400	350	100	100
HP-20PN-FR-REL-500/355	500/355	350	100	100
HP-20PN-FR-REL-500/400	500/400	350	100	100
HP-20PN-FR-REL-500/450	500/450	350	100	100
HP-20PN-FR-REL-560/355	560/355	380	100	100
HP-20PN-FR-REL-560/400	560/400	380	100	100
HP-20PN-FR-REL-560/450	560/450	350	100	100
HP-20PN-FR-REL-560/500	560/500	350	100	100
HP-20PN-FR-REL-630/355	630/355	380	100	100
HP-20PN-FR-REL-630/400	630/400	380	100	100
HP-20PN-FR-REL-630/450	630/450	350	100	100
HP-20PN-FR-REL-630/500	630/500	350	100	100
HP-20PN-FR-REL-630/560	630/560	350	100	100



PRIME
PLASTIC INDUSTRIES LLC

SDR 7.4				
Code	De1/De2	L	L1	I2
HP-25PN-FR-REL-63/32	63/32	150	69	50
HP-25PN-FR-REL-63/40	63/40	152	69	55
HP-25PN-FR-REL-63/50	63/50	151	69	60
HP-25PN-FR-REL-75/50	75/50	148	64	58
HP-25PN-FR-REL-75/63	75/63	149	65	59
HP-25PN-FR-REL-90/50	90/50	142	64	49
HP-25PN-FR-REL-90/63	90/63	144	69	55
HP-25PN-FR-REL-90/75	90/75	163	76	61
HP-25PN-FR-REL-110/63	110/63	174	85	63
HP-25PN-FR-REL-110/75	110/75	180	85	57
HP-25PN-FR-REL-110/90	110/90	179	99	93
HP-25PN-FR-REL-125/63	125/63	187	87	61
HP-25PN-FR-REL-125/75	125/75	205	105	76
HP-25PN-FR-REL-125/90	125/90	216	99	86
HP-25PN-FR-REL-125/110	125/110	200	90	82
HP-25PN-FR-REL-140/75	140/75	230	112	70
HP-25PN-FR-REL-140/90	140/90	230	112	79
HP-25PN-FR-REL-140/110	140/110	230	112	82
HP-25PN-FR-REL-140/125	140/125	211	96	90
HP-25PN-FR-REL-160/90	160/90	217	102	74
HP-25PN-FR-REL-160/110	160/110	223	104	84
HP-25PN-FR-REL-160/125	160/125	231	98	92
HP-25PN-FR-REL-160/140	160/140	217	110	95
HP-25PN-FR-REL-180/90	180/90	237	105	79
HP-25PN-FR-REL-180/110	180/110	270	120	92
HP-25PN-FR-REL-180/125	180/125	278	116	103
HP-25PN-FR-REL-180/160	180/160	277	115	114

SDR 7.4				
Code	De1/De2	L	L1	I2
HP-25PN-FR-REL-200/125	200/125	283	123	103
HP-25PN-FR-REL-200/140	200/140	275	120	110
HP-25PN-FR-REL-200/160	200/160	252	105	100
HP-25PN-FR-REL-200/180	200/180	272	120	115
HP-25PN-FR-REL-225/110	225/110	312	130	94
HP-25PN-FR-REL-225/140	225/140	295	130	110
HP-25PN-FR-REL-225/160	225/160	312	130	109
HP-25PN-FR-REL-225/180	225/180	310	130	111
HP-25PN-FR-REL-225/200	225/200	272	124	115
HP-25PN-FR-REL-250/160	250/160	339	138	111
HP-25PN-FR-REL-250/180	250/180	338	137	123
HP-25PN-FR-REL-250/200	250/200	337	137	127
HP-25PN-FR-REL-250/225	250/225	337	137	137
HP-25PN-FR-REL-280/180	280/180	350	146	119
HP-25PN-FR-REL-280/200	280/200	350	146	124
HP-25PN-FR-REL-280/225	280/225	350	146	129
HP-25PN-FR-REL-280/250	280/250	350	146	134
HP-25PN-FR-REL-315/200	315/200	380	180	134
HP-25PN-FR-REL-315/225	315/225	380	157	133
HP-25PN-FR-REL-315/250	315/250	380	157	138
HP-25PN-FR-REL-315/280	315/280	380	157	148
HP-25PN-FR-REL-355/250	355/250	415	172	143
HP-25PN-FR-REL-355/280	355/280	415	172	148
HP-25PN-FR-REL-355/315	355/315	415	172	158
HP-25PN-FR-REL-400/280	400/280	450	187	153
HP-25PN-FR-REL-400/315	400/315	450	187	158
HP-25PN-FR-REL-400/355	400/355	450	187	168

SDR 7.4

Code	De1/De2	L	L1	I2
HP-25PN-FR-REL-450/225	450/225	380	100	100
HP-25PN-FR-REL-450/250	450/250	380	100	100
HP-25PN-FR-REL-450/280	450/280	380	100	100
HP-25PN-FR-REL-450/315	450/315	350	100	100
HP-25PN-FR-REL-450/400	450/400	350	100	100
HP-25PN-FR-REL-500/355	500/355	350	100	100
HP-25PN-FR-REL-500/400	500/400	350	100	100
HP-25PN-FR-REL-500/450	500/450	350	100	100
HP-25PN-FR-REL-560/355	560/355	380	100	100
HP-25PN-FR-REL-560/400	560/400	380	100	100
HP-25PN-FR-REL-560/450	560/450	350	100	100
HP-25PN-FR-REL-560/500	560/500	350	100	100
HP-25PN-FR-REL-630/355	630/355	380	100	100
HP-25PN-FR-REL-630/400	630/400	380	100	100
HP-25PN-FR-REL-630/450	630/450	350	100	100
HP-25PN-FR-REL-630/500	630/500	350	100	100
HP-25PN-FR-REL-630/560	630/560	350	100	100



PRIME
PLASTIC INDUSTRIES LLC