




Reducer Concentric (Short)

The HDPE Reducer Machined by **PRIME** is manufactured to the latest and highest standards using high-quality HDPE rod pipes, ensuring a precise and reliable transition between different pipe sizes. Designed for water supply, irrigation, and firefighting networks, it provides a secure, leak-proof connection with excellent durability and long-term performance for various pipeline applications.



SDR 17

Code	De1/De2	L	L1	l2
HP-10PN-FR-RES-25/20	25/20	37	12	12
HP-10PN-FR-RES-32/20	32/20	43	12	12
HP-10PN-FR-RES-32/25	32/25	43	12	12
HP-10PN-FR-RES-40/20	40/20	50	12	12
HP-10PN-FR-RES-40/25	40/25	50	12	12
HP-10PN-FR-RES-50/25	50/25	50	12	12
HP-10PN-FR-RES-50/32	50/32	55	12	12
HP-10PN-FR-RES-50/40	50/40	55	12	12
HP-10PN-FR-RES-63/32	63/32	55	12	12
HP-10PN-FR-RES-63/40	63/40	65	16	12
HP-10PN-FR-RES-63/40	63/40	65	16	12
HP-10PN-FR-RES-63/50	63/50	65	16	12
HP-10PN-FR-RES-75/32	75/32	80	19	12
HP-10PN-FR-RES-75/40	75/40	71	19	12

SDR 17				
Code	De1/De2	L	L1	I2
HP-10PN-FR-RES-75/50	75/50	71	19	12
HP-10PN-FR-RES-75/63	75/63	71	19	16
HP-10PN-FR-RES-90/75	90/75	80	22	19
HP-10PN-FR-RES-110/50	110/50	105	28	12
HP-10PN-FR-RES-110/63	110/63	97	28	16
HP-10PN-FR-RES-110/75	110/75	97	28	19
HP-10PN-FR-RES-110/90	110/90	97	28	22
HP-10PN-FR-RES-125/63	125/63	112	30	16
HP-10PN-FR-RES-125/75	125/75	108	32	19
HP-10PN-FR-RES-125/90	125/90	108	32	22
HP-10PN-FR-RES-125/110	125/110	108	32	28
HP-10PN-FR-RES-140/75	140/75	123	35	19
HP-10PN-FR-RES-140/90	140/90	115	35	22
HP-10PN-FR-RES-140/110	140/110	115	35	28
HP-10PN-FR-RES-140/125	140/125	115	35	32
HP-10PN-FR-RES-160/90	160/90	135	40	22
HP-10PN-FR-RES-160/110	160/110	124	40	28
HP-10PN-FR-RES-160/125	160/125	124	40	32
HP-10PN-FR-RES-160/140	160/140	124	40	35
HP-10PN-FR-RES-180/90	180/90	157	45	22
HP-10PN-FR-RES-180/110	180/110	157	45	28
HP-10PN-FR-RES-180/125	180/125	136	45	32
HP-10PN-FR-RES-180/140	180/140	136	45	35
HP-10PN-FR-RES-180/140	180/160	136	45	40
HP-10PN-FR-RES-200/140	200/140	154	50	35
HP-10PN-FR-RES-200/160	200/160	151	50	40
HP-10PN-FR-RES-200/180	200/180	151	50	45

SDR 17

Code	De1/De2	L	L1	I2
HP-10PN-FR-RES-225/140	225/140	160	60	50
HP-10PN-FR-RES-225/160	225/160	171	55	40
HP-10PN-FR-RES-225/180	225/180	171	55	45
HP-10PN-FR-RES-225/200	225/200	171	55	50
HP-10PN-FR-RES-250/160	250/160	194	60	40
HP-10PN-FR-RES-250/180	250/180	182	60	45
HP-10PN-FR-RES-250/200	250/200	182	60	50
HP-10PN-FR-RES-250/225	250/225	182	60	55
HP-10PN-FR-RES-280/200	280/200	200	85	70
HP-10PN-FR-RES-280/225	280/225	200	85	72
HP-10PN-FR-RES-280/250	280/250	200	85	80
HP-10PN-FR-RES-315/200	315/200	230	95	85
HP-10PN-FR-RES-315/225	315/225	230	95	88
HP-10PN-FR-RES-315/250	315/250	230	95	95
HP-10PN-FR-RES-315/280	315/280	230	95	107
HP-10PN-FR-RES-355/200	355/200	160	57	40
HP-10PN-FR-RES-355/225	355/225	140	57	40
HP-10PN-FR-RES-355/250	355/250	130	54	40
HP-10PN-FR-RES-355/280	355/280	120	53	40
HP-10PN-FR-RES-355/315	355/315	110	53	40
HP-10PN-FR-RES-400/225	400/225	160	64	40
HP-10PN-FR-RES-400/250	400/250	150	61	40
HP-10PN-FR-RES-400/280	400/280	140	60	40

SDR 11				
Code	De1/De2	L	L1	I2
HP-16PN-FR-RES-25/20	25/20	37	12	12
HP-16PN-FR-RES-32/20	32/20	43	12	12
HP-16PN-FR-RES-32/25	32/25	43	12	12
HP-16PN-FR-RES-40/20	40/20	50	12	12
HP-16PN-FR-RES-40/25	40/25	50	12	12
HP-16PN-FR-RES-50/25	50/25	50	12	12
HP-16PN-FR-RES-50/32	50/32	55	12	12
HP-16PN-FR-RES-50/40	50/40	55	12	12
HP-16PN-FR-RES-63/32	63/32	55	12	12
HP-16PN-FR-RES-63/40	63/40	65	16	12
HP-16PN-FR-RES-63/40	63/40	65	16	12
HP-16PN-FR-RES-63/50	63/50	65	16	12
HP-16PN-FR-RES-75/32	75/32	80	19	12
HP-16PN-FR-RES-75/40	75/40	71	19	12
HP-16PN-FR-RES-75/50	75/50	71	19	12
HP-16PN-FR-RES-75/63	75/63	71	19	16
HP-16PN-FR-RES-90/75	90/75	80	22	19
HP-16PN-FR-RES-110/50	110/50	105	28	12
HP-16PN-FR-RES-110/63	110/63	97	28	16
HP-16PN-FR-RES-110/75	110/75	97	28	19
HP-16PN-FR-RES-110/90	110/90	97	28	22
HP-16PN-FR-RES-125/63	125/63	112	30	16
HP-16PN-FR-RES-125/75	125/75	108	32	19
HP-16PN-FR-RES-125/90	125/90	108	32	22
HP-16PN-FR-RES-125/110	125/110	108	32	28
HP-16PN-FR-RES-140/75	140/75	123	35	19
HP-16PN-FR-RES-140/90	140/90	115	35	22

SDR 11				
Code	De1/De2	L	L1	I2
HP-16PN-FR-RES-140/110	140/110	115	35	28
HP-16PN-FR-RES-140/125	140/125	115	35	32
HP-16PN-FR-RES-160/90	160/90	135	40	22
HP-16PN-FR-RES-160/110	160/110	124	40	28
HP-16PN-FR-RES-160/125	160/125	124	40	32
HP-16PN-FR-RES-160/140	160/140	124	40	35
HP-16PN-FR-RES-180/90	180/90	157	45	22
HP-16PN-FR-RES-180/110	180/110	157	45	28
HP-16PN-FR-RES-180/125	180/125	136	45	32
HP-16PN-FR-RES-180/140	180/140	136	45	35
HP-16PN-FR-RES-180/140	180/160	136	45	40
HP-16PN-FR-RES-200/140	200/140	154	50	35
HP-16PN-FR-RES-200/160	200/160	151	50	40
HP-16PN-FR-RES-200/180	200/180	151	50	45
HP-16PN-FR-RES-225/140	225/140	160	60	50
HP-16PN-FR-RES-225/160	225/160	171	55	40
HP-16PN-FR-RES-225/180	225/180	171	55	45
HP-16PN-FR-RES-225/200	225/200	171	55	50
HP-16PN-FR-RES-250/160	250/160	194	60	40
HP-16PN-FR-RES-250/180	250/180	182	60	45
HP-16PN-FR-RES-250/200	250/200	182	60	50
HP-16PN-FR-RES-250/225	250/225	182	60	55
HP-16PN-FR-RES-280/200	280/200	200	85	70
HP-16PN-FR-RES-280/225	280/225	200	85	72
HP-16PN-FR-RES-280/250	280/250	200	85	80
HP-16PN-FR-RES-315/200	315/200	230	95	85
HP-16PN-FR-RES-315/225	315/225	230	95	88

SDR 11				
Code	De1/De2	L	L1	I2
HP-16PN-FR-RES-315/250	315/250	230	95	95
HP-16PN-FR-RES-315/280	315/280	230	95	107
HP-16PN-FR-RES-355/200	355/200	160	57	40
HP-16PN-FR-RES-355/225	355/225	140	57	40
HP-16PN-FR-RES-355/250	355/250	130	54	40
HP-16PN-FR-RES-355/280	355/280	120	53	40
HP-16PN-FR-RES-355/315	355/315	110	53	40
HP-16PN-FR-RES-400/225	400/225	160	64	40
HP-16PN-FR-RES-400/250	400/250	150	61	40
HP-16PN-FR-RES-400/280	400/280	140	60	40

SDR 9				
Code	De1/De2	L	L1	I2
HP-20PN-FR-RES-25/20	25/20	37	12	12
HP-20PN-FR-RES-32/20	32/20	43	12	12
HP-20PN-FR-RES-32/25	32/25	43	12	12
HP-20PN-FR-RES-40/20	40/20	50	12	12
HP-20PN-FR-RES-40/25	40/25	50	12	12
HP-20PN-FR-RES-50/25	50/25	50	12	12
HP-20PN-FR-RES-50/32	50/32	55	12	12
HP-20PN-FR-RES-50/40	50/40	55	12	12
HP-20PN-FR-RES-63/32	63/32	55	12	12
HP-20PN-FR-RES-63/40	63/40	65	16	12
HP-20PN-FR-RES-63/40	63/40	65	16	12
HP-20PN-FR-RES-63/50	63/50	65	16	12
HP-20PN-FR-RES-75/32	75/32	80	19	12

SDR 9				
Code	De1/De2	L	L1	I2
HP-20PN-FR-RES-75/40	75/40	71	19	12
HP-20PN-FR-RES-75/50	75/50	71	19	12
HP-20PN-FR-RES-75/63	75/63	71	19	16
HP-20PN-FR-RES-90/75	90/75	80	22	19
HP-20PN-FR-RES-110/50	110/50	105	28	12
HP-20PN-FR-RES-110/63	110/63	97	28	16
HP-20PN-FR-RES-110/75	110/75	97	28	19
HP-20PN-FR-RES-110/90	110/90	97	28	22
HP-20PN-FR-RES-125/63	125/63	112	30	16
HP-20PN-FR-RES-125/75	125/75	108	32	19
HP-20PN-FR-RES-125/90	125/90	108	32	22
HP-20PN-FR-RES-125/110	125/110	108	32	28
HP-20PN-FR-RES-140/75	140/75	123	35	19
HP-20PN-FR-RES-140/90	140/90	115	35	22
HP-20PN-FR-RES-140/110	140/110	115	35	28
HP-20PN-FR-RES-140/125	140/125	115	35	32
HP-20PN-FR-RES-160/90	160/90	135	40	22
HP-20PN-FR-RES-160/110	160/110	124	40	28
HP-20PN-FR-RES-160/125	160/125	124	40	32
HP-20PN-FR-RES-160/140	160/140	124	40	35
HP-20PN-FR-RES-180/90	180/90	157	45	22
HP-20PN-FR-RES-180/110	180/110	157	45	28
HP-20PN-FR-RES-180/125	180/125	136	45	32
HP-20PN-FR-RES-180/140	180/140	136	45	35
HP-20PN-FR-RES-180/140	180/160	136	45	40
HP-20PN-FR-RES-200/140	200/140	154	50	35
HP-20PN-FR-RES-200/160	200/160	151	50	40

SDR 9

Code	De1/De2	L	L1	I2
HP-20PN-FR-RES-200/180	200/180	151	50	45
HP-20PN-FR-RES-225/140	225/140	160	60	50
HP-20PN-FR-RES-225/160	225/160	171	55	40
HP-20PN-FR-RES-225/180	225/180	171	55	45
HP-20PN-FR-RES-225/200	225/200	171	55	50
HP-20PN-FR-RES-250/160	250/160	194	60	40
HP-20PN-FR-RES-250/180	250/180	182	60	45
HP-20PN-FR-RES-250/200	250/200	182	60	50
HP-20PN-FR-RES-250/225	250/225	182	60	55
HP-20PN-FR-RES-280/200	280/200	200	85	70
HP-20PN-FR-RES-280/225	280/225	200	85	72
HP-20PN-FR-RES-280/250	280/250	200	85	80
HP-20PN-FR-RES-315/200	315/200	230	95	85
HP-20PN-FR-RES-315/225	315/225	230	95	88
HP-20PN-FR-RES-315/250	315/250	230	95	95
HP-20PN-FR-RES-315/280	315/280	230	95	107
HP-20PN-FR-RES-355/200	355/200	160	57	40
HP-20PN-FR-RES-355/225	355/225	140	57	40
HP-20PN-FR-RES-355/250	355/250	130	54	40
HP-20PN-FR-RES-355/280	355/280	120	53	40
HP-20PN-FR-RES-355/315	355/315	110	53	40
HP-20PN-FR-RES-400/225	400/225	160	64	40
HP-20PN-FR-RES-400/250	400/250	150	61	40
HP-20PN-FR-RES-400/280	400/280	140	60	40

SDR 7.4				
Code	De1/De2	L	L1	I2
HP-25PN-FR-RES-25/20	25/20	37	12	12
HP-25PN-FR-RES-32/20	32/20	43	12	12
HP-25PN-FR-RES-32/25	32/25	43	12	12
HP-25PN-FR-RES-40/20	40/20	50	12	12
HP-25PN-FR-RES-40/25	40/25	50	12	12
HP-25PN-FR-RES-50/25	50/25	50	12	12
HP-25PN-FR-RES-50/32	50/32	55	12	12
HP-25PN-FR-RES-50/40	50/40	55	12	12
HP-25PN-FR-RES-63/32	63/32	55	12	12
HP-25PN-FR-RES-63/40	63/40	65	16	12
HP-25PN-FR-RES-63/40	63/40	65	16	12
HP-25PN-FR-RES-63/50	63/50	65	16	12
HP-25PN-FR-RES-75/32	75/32	80	19	12
HP-25PN-FR-RES-75/40	75/40	71	19	12
HP-25PN-FR-RES-75/50	75/50	71	19	12
HP-25PN-FR-RES-75/63	75/63	71	19	16
HP-25PN-FR-RES-90/75	90/75	80	22	19
HP-25PN-FR-RES-110/50	110/50	105	28	12
HP-25PN-FR-RES-110/63	110/63	97	28	16
HP-25PN-FR-RES-110/75	110/75	97	28	19
HP-25PN-FR-RES-110/90	110/90	97	28	22
HP-25PN-FR-RES-125/63	125/63	112	30	16
HP-25PN-FR-RES-125/75	125/75	108	32	19
HP-25PN-FR-RES-125/90	125/90	108	32	22
HP-25PN-FR-RES-125/110	125/110	108	32	28
HP-25PN-FR-RES-140/75	140/75	123	35	19
HP-25PN-FR-RES-140/90	140/90	115	35	22

SDR 7.4				
Code	De1/De2	L	L1	I2
HP-25PN-FR-RES-140/110	140/110	115	35	28
HP-25PN-FR-RES-140/125	140/125	115	35	32
HP-25PN-FR-RES-160/90	160/90	135	40	22
HP-25PN-FR-RES-160/110	160/110	124	40	28
HP-25PN-FR-RES-160/125	160/125	124	40	32
HP-25PN-FR-RES-160/140	160/140	124	40	35
HP-25PN-FR-RES-180/90	180/90	157	45	22
HP-25PN-FR-RES-180/110	180/110	157	45	28
HP-25PN-FR-RES-180/125	180/125	136	45	32
HP-25PN-FR-RES-180/140	180/140	136	45	35
HP-25PN-FR-RES-180/140	180/160	136	45	40
HP-25PN-FR-RES-200/140	200/140	154	50	35
HP-25PN-FR-RES-200/160	200/160	151	50	40
HP-25PN-FR-RES-200/180	200/180	151	50	45
HP-25PN-FR-RES-225/140	225/140	160	60	50
HP-25PN-FR-RES-225/160	225/160	171	55	40
HP-25PN-FR-RES-225/180	225/180	171	55	45
HP-25PN-FR-RES-225/200	225/200	171	55	50
HP-25PN-FR-RES-250/160	250/160	194	60	40
HP-25PN-FR-RES-250/180	250/180	182	60	45
HP-25PN-FR-RES-250/200	250/200	182	60	50
HP-25PN-FR-RES-250/225	250/225	182	60	55
HP-25PN-FR-RES-280/200	280/200	200	85	70
HP-25PN-FR-RES-280/225	280/225	200	85	72
HP-25PN-FR-RES-280/250	280/250	200	85	80
HP-25PN-FR-RES-315/200	315/200	230	95	85
HP-25PN-FR-RES-315/225	315/225	230	95	88

SDR 7.4

Code	De1/De2	L	L1	I2
HP-25PN-FR-RES-315/250	315/250	230	95	95
HP-25PN-FR-RES-315/280	315/280	230	95	107
HP-25PN-FR-RES-355/200	355/200	160	57	40
HP-25PN-FR-RES-355/225	355/225	140	57	40
HP-25PN-FR-RES-355/250	355/250	130	54	40
HP-25PN-FR-RES-355/280	355/280	120	53	40
HP-25PN-FR-RES-355/315	355/315	110	53	40
HP-25PN-FR-RES-400/225	400/225	160	64	40
HP-25PN-FR-RES-400/250	400/250	150	61	40
HP-25PN-FR-RES-400/280	400/280	140	60	40

