




SEGMENTED 45° BEND

The HDPE Segmented 45° Bend Fabricated by **PRIME** is manufactured to the latest and highest standards using high-quality HDPE pipes, ensuring precise alignment and smooth flow in pipeline systems. Designed for water supply, irrigation, and firefighting networks, it provides a secure, leak-proof connection with exceptional durability and long-term performance for various applications.



SDR 17

Code	D	L	L1	R
HP-10PN-FB-LR45-110	110	155	238	395
HP-10PN-FB-LR45-125	125	155	238	395
HP-10PN-FB-LR45-140	140	155	238	395
HP-10PN-FB-LR45-160	160	155	238	395
HP-10PN-FB-LR45-180	180	155	238	395
HP-10PN-FB-LR45-200	200	250	405	637
HP-10PN-FB-LR45-225	225	250	405	637
HP-10PN-FB-LR45-250	250	250	405	637
HP-10PN-FB-LR45-280	280	250	405	637
HP-10PN-FB-LR45-315	315	250	405	637
HP-10PN-FB-LR45-355	355	380	590	968
HP-10PN-FB-LR45-400	400	380	590	968
HP-10PN-FB-LR45-450	450	380	590	968
HP-10PN-FB-LR45-500	500	380	590	968
HP-10PN-FB-LR45-560	560	470	900	1200
HP-10PN-FB-LR45-630	630	590	900	1500

SDR 11				
Code	D	L	L1	R
HP-16PN-FB-LR45-110	110	155	238	395
HP-16PN-FB-LR45-125	125	155	238	395
HP-16PN-FB-LR45-140	140	155	238	395
HP-16PN-FB-LR45-160	160	155	238	395
HP-16PN-FB-LR45-180	180	155	238	395
HP-16PN-FB-LR45-200	200	250	405	637
HP-16PN-FB-LR45-225	225	250	405	637
HP-16PN-FB-LR45-250	250	250	405	637
HP-16PN-FB-LR45-280	280	250	405	637
HP-16PN-FB-LR45-315	315	250	405	637
HP-16PN-FB-LR45-355	355	380	590	968
HP-16PN-FB-LR45-400	400	380	590	968
HP-16PN-FB-LR45-450	450	380	590	968
HP-16PN-FB-LR45-500	500	380	590	968
HP-16PN-FB-LR45-560	560	470	900	1200
HP-16PN-FB-LR45-630	630	590	900	1500

SDR 9				
Code	D	L	L1	R
HP-20PN-FB-LR45-110	110	155	238	395
HP-20PN-FB-LR45-125	125	155	238	395
HP-20PN-FB-LR45-140	140	155	238	395
HP-20PN-FB-LR45-160	160	155	238	395
HP-20PN-FB-LR45-180	180	155	238	395
HP-20PN-FB-LR45-200	200	250	405	637
HP-20PN-FB-LR45-225	225	250	405	637

SDR 9				
Code	D	L	L1	R
HP-20PN-FB-LR45-250	250	250	405	637
HP-20PN-FB-LR45-280	280	250	405	637
HP-20PN-FB-LR45-315	315	250	405	637
HP-20PN-FB-LR45-355	355	380	590	968
HP-20PN-FB-LR45-400	400	380	590	968
HP-20PN-FB-LR45-450	450	380	590	968
HP-20PN-FB-LR45-500	500	380	590	968
HP-20PN-FB-LR45-560	560	470	900	1200
HP-20PN-FB-LR45-630	630	590	900	1500

SDR 7.4				
Code	D	L	L1	R
HP-25PN-FB-LR45-110	110	155	238	395
HP-25PN-FB-LR45-125	125	155	238	395
HP-25PN-FB-LR45-140	140	155	238	395
HP-25PN-FB-LR45-160	160	155	238	395
HP-25PN-FB-LR45-180	180	155	238	395
HP-25PN-FB-LR45-200	200	250	405	637
HP-25PN-FB-LR45-225	225	250	405	637
HP-25PN-FB-LR45-250	250	250	405	637
HP-25PN-FB-LR45-280	280	250	405	637
HP-25PN-FB-LR45-315	315	250	405	637
HP-25PN-FB-LR45-355	355	380	590	968
HP-25PN-FB-LR45-400	400	380	590	968
HP-25PN-FB-LR45-450	450	380	590	968
HP-25PN-FB-LR45-500	500	380	590	968