




SEGMENTED 90 BEND

The HDPE Segmented 90° Bend Fabricated by **PRIME** is manufactured to the latest and highest standards using high-quality HDPE pipes, ensuring precise direction changes and smooth flow in pipeline systems. Designed for water supply, irrigation, and firefighting networks, it provides a secure, leak-proof connection with exceptional durability and long-term performance for various applications.



SDR 17

Code	De	Z	I	R	A
HP-10PN-FB-LR90-110	110	315	150	165	Download
HP-10PN-FB-LR90-125	125	338	150	188	Download
HP-10PN-FB-LR90-140	140	360	150	210	Download
HP-10PN-FB-LR90-160	160	390	150	240	Download
HP-10PN-FB-LR90-180	180	420	150	270	Download
HP-10PN-FB-LR90-200	200	450	150	300	Download
HP-10PN-FB-LR90-225	225	488	150	338	Download
HP-10PN-FB-LR90-250	250	625	250	375	Download
HP-10PN-FB-LR90-280	280	670	250	420	Download
HP-10PN-FB-LR90-315	315	778	300	478	Download
HP-10PN-FB-LR90-355	355	833	300	533	Download
HP-10PN-FB-LR90-400	400	900	300	600	Download
HP-10PN-FB-LR90-450	450	975	300	675	Download
HP-10PN-FB-LR90-500	500	1100	350	750	Download
HP-10PN-FB-LR90-560	560	1190	350	840	Download
HP-10PN-FB-LR90-630	630	1295	350	945	Download

SDR 11				
Code	De	L	Z	I1
HP-16PN-FB-LR90-110	110	315	150	165
HP-16PN-FB-LR90-125	125	338	150	188
HP-16PN-FB-LR90-140	140	360	150	210
HP-16PN-FB-LR90-160	160	390	150	240
HP-16PN-FB-LR90-180	180	420	150	270
HP-16PN-FB-LR90-200	200	450	150	300
HP-16PN-FB-LR90-225	225	488	150	338
HP-16PN-FB-LR90-250	250	625	250	375
HP-16PN-FB-LR90-280	280	670	250	420
HP-16PN-FB-LR90-315	315	778	300	478
HP-16PN-FB-LR90-355	355	833	300	533
HP-16PN-FB-LR90-400	400	900	300	600
HP-16PN-FB-LR90-450	450	975	300	675
HP-16PN-FB-LR90-500	500	1100	350	750
HP-16PN-FB-LR90-560	560	1190	350	840
HP-16PN-FB-LR90-630	630	1295	350	945

SDR 9				
Code	De	L	Z	I1
HP-20PN-FB-LR90-110	110	315	150	165
HP-20PN-FB-LR90-125	125	338	150	188
HP-20PN-FB-LR90-140	140	360	150	210
HP-20PN-FB-LR90-160	160	390	150	240
HP-20PN-FB-LR90-180	180	420	150	270
HP-20PN-FB-LR90-200	200	450	150	300
HP-20PN-FB-LR90-225	225	488	150	338

SDR 9				
Code	De	L	Z	I1
HP-20PN-FB-LR90-250	250	625	250	375
HP-20PN-FB-LR90-280	280	670	250	420
HP-20PN-FB-LR90-315	315	778	300	478
HP-20PN-FB-LR90-355	355	833	300	533
HP-20PN-FB-LR90-400	400	900	300	600
HP-20PN-FB-LR90-450	450	975	300	675
HP-20PN-FB-LR90-500	500	1100	350	750
HP-20PN-FB-LR90-560	560	1190	350	840
HP-20PN-FB-LR90-630	630	1295	350	945

SDR 7.4				
Code	De	L	Z	I1
HP-25PN-FB-LR90-110	110	315	150	165
HP-25PN-FB-LR90-125	125	338	150	188
HP-25PN-FB-LR90-140	140	360	150	210
HP-25PN-FB-LR90-160	160	390	150	240
HP-25PN-FB-LR90-180	180	420	150	270
HP-25PN-FB-LR90-200	200	450	150	300
HP-25PN-FB-LR90-225	225	488	150	338
HP-25PN-FB-LR90-250	250	625	250	375
HP-25PN-FB-LR90-280	280	670	250	420
HP-25PN-FB-LR90-315	315	778	300	478
HP-25PN-FB-LR90-355	355	833	300	533
HP-25PN-FB-LR90-400	400	900	300	600
HP-25PN-FB-LR90-450	450	975	300	675
HP-25PN-FB-LR90-500	500	1100	350	750